



Logged in on server mwdzua1 as Ruth Davis Last Login 06-14-2013 | Session Expires in 8 mins

[Homepage](#) | [Edit Profile](#) | [Change Password](#) | [Logout](#)

Review Applications

- ... Un-Submitted
- ... Submitted
- ... Change Requests
- ... Withdrawal Requests

Manage Grant Applications

- ... Create
- ... Update
- ... Monitor

Manage Subgrant Applications

- ... Create
- ... Update
- ... Monitor

Payment Requests

- ... Create
- ... Update
- ... Review
- ... Monitor

Disbursement

- ... Create
- ... Update
- ... Disbursed
- ... Report
- ... Manage Share

Quarterly Reports

- ... Performance Reports
- ... Financial Reports

Inspection Report

- ... Request
- ... Update
- ... Monitor

Reports

- ... P.4 Report
- ... P.5 Report

Blank Applications

- ... Print

Recycle Bin

- ... Monitor

List of Subgrant Applications

Subgrant Applications for PA-02-NJ-4086-RPA-0459 P are listed below. To view a subgrant application, click on the Application Number.

Displaying 1-12 of 12

Show 20

Go

Search

Application Number	Application Title	Applicant Name	Status
PA-02-NJ-4086-PW-04004(0) P	7454016 Engineer Buildings Inspections	UNION BEACH	Submitted To FEMA
PA-02-NJ-4086-PW-03998(0) P	7454013 MUNICIPAL COMPLEX	UNION BEACH	Submitted To FEMA
PA-02-NJ-4086-PW-04030(0) P	7454052 Demolition of Residential - Ineligible Asbestos	UNION BEACH	Submitted To FEMA
PA-02-NJ-4086-PW-02431(0) P	7454000 Bulkhead, Walkway, Parks, Monuments	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-03309(0) P	STEP003 Residential Housing Units	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-01908(0) P	7454005 Mechanics Garage & Contents	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-02130(0) P	7454012 Municipal Garage, Contents & Fence	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-01898(0) P	7454007 Beach Area	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-01907(0) P	7454004 Public Works Main Building	UNION BEACH	Submitted To FEMA
PA-02-NJ-4086-PW-00093(0) P	7454003 Temporary Facility	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-00086(0) P	7454002 Emergency Protective Measures	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-00025(2) P	7454001 Debris Removal	UNION BEACH	Approved By FEMA

First

<< Prev

Next >>

Last

Go Back

[FAQ](#) | [Glossary](#) | [Help](#) | [Contact Us](#) | [Process Flows](#) | [Privacy Statement](#) | [Disclaimers](#)

[Get Adobe Reader](#)

[Get Microsoft Excel Viewer](#)

- ALSO ATTACHED IS THE T&M ROADS DAMAGES NARRATIVE & COST ESTIMATE.

* - HARRIS GARDENS REPAIRS ESTIMATE

- PW-UNION BEACH FIRST AID PW 03944(0) (DONATING RESOURCES)

- " " " " " " PW 03666(0) BUILDING EQUIP

- " " " " " " PW 03749(0) EMER PROTECTIVE MEASURE

- " " " " " " PW 03804(0) DONATING RESOURCES

- " " " " " " PW 03212(0) CAT 'E' BUILDING & EQUIP

- " " " " " " PW 03211(0) CAT 'B' EMER PROT. MEASURE

* MISSING HARRIS GARDENS PW

- HARRIS

- UNION GARDENS PW



Logged in on server mwdzua1 as Ruth Davis Last Login 06-14-2013 | Session Expires in 8 mins

[Homepage](#) | [Edit Profile](#) | [Change Password](#) | [Logout](#)

Review Applications

- Un-Submitted
- Submitted
- Change Requests
- Withdrawal Requests

Manage Grant Applications

- Create
- Update
- Monitor

Manage Subgrant Applications

- Create
- Update
- Monitor

Payment Requests

- Create
- Update
- Review
- Monitor

Disbursement

- Create
- Update
- Disbursed
- Report
- Manage Share

Quarterly Reports

- Performance Reports
- Financial Reports

Inspection Report

- Request
- Update
- Monitor

Reports

- P.4 Report
- P.5 Report

Blank Applications

- Print

Recycle Bin

- Monitor

List of Subgrant Applications

Subgrant Applications for PA-02-NJ-4086-RPA-0459 are listed below. To view a subgrant application, click on the Application Number.

Displaying 1-12 of 12

Show 20

Go

Search

Application Number	Application Title	Applicant Name	Status
PA-02-NJ-4086-PW-04004(0) P	7454016 Engineer Buildings Inspections	UNION BEACH	Submitted To FEMA
PA-02-NJ-4086-PW-03998(0) P	7454013 MUNICIPAL COMPLEX	UNION BEACH	Submitted To FEMA
PA-02-NJ-4086-PW-04030(0) P	7454052 Demolition of Residential - Ineligible Asbestos	UNION BEACH	Submitted To FEMA
PA-02-NJ-4086-PW-02431(0) P	7454000 Bulkhead, Walkway, Parks, Monuments	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-03309(0) P	STEP003 Residential Housing Units	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-01908(0) P	7454005 Mechanics Garage & Contents	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-02130(0) P	7454012 Municipal Garage, Contents & Fence	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-01898(0) P	7454007 Beach Area	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-01907(0) P	7454004 Public Works Main Building	UNION BEACH	Submitted To FEMA
PA-02-NJ-4086-PW-00093(0) P	7454003 Temporary Facility	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-00086(0) P	7454002 Emergency Protective Measures	UNION BEACH	Approved By FEMA
PA-02-NJ-4086-PW-00025(2) P	7454001 Debris Removal	UNION BEACH	Approved By FEMA

Go Back

[FAQ](#) | [Glossary](#) | [Help](#) | [Contact Us](#) | [Process Flows](#) | [Privacy Statement](#) | [Disclaimers](#)

[Get Adobe Reader](#)

[Get Microsoft Excel Viewer](#)

- ALSO ATTACHED IS THE T&M ROADS DAMAGES NARRATIVE & COST ESTIMATE.

* - HARRIS GARDENS REPAIRS ESTIMATE

- PW-UNION BEACH FIRST AID PA 02 NJ PW 03944(0) (DONATED RESOURCES)

- " " " " " " PW 03666(0) BUILDING EQUIP

- " " " " " " PW 03749(0) EMER PROTECTIVE MEASURES

- " " " " " " PW 03804(0) DONATED RESOURCES

- " " " " " " PW 03212(0) CAT 'E' BUILDING & EQUIP

- " " " " " " PW 03211(0) CAT 'B' EMER PROT. MEASURES

* MISSING HARRIS GARDENS PW

- VALON GARDENS PW

GOOD INFO SOME DUPLICATE
TO PW INFO. GOOD GENERAL INFO
UNION GARDENS FIRE COMPANY ADDRESSES
CONTACTS
ETC

STATION 65-1

235 PARK AVE.

UNION BEACH, NJ 07735

CONTACT:

BILL NEALON

908-902-5208

**UNION GARDEN FIRE COMPANY – STATION 65-1
235 PARK AVE., UNION BEACH, NJ 07735**

ITEMS LOST DURING STORM SANDY

MEMBERS ROOM

47" TELEVISION

A FIXED, WOOD CONSTRUCTION, TELEVISION STAGE (6'X6')

DVD PLAYER

TWO (2) COUCHES

REGULATION BILLIARDS TABLE

SIX (6) 4'X4' TABLES

TWENTY FOUR (24) LEATHER CHAIRS, (FOUR CHAIRS AT EACH TABLE)

COMPUTER DESK & OFFICE CHAIR

DELL COMPUTER, MONITOR & HP PRINTER

ICE MACHINE

PLASTIC SINK

15'X3' CABINET FOR STORAGE (ATTACHED TO WALL)

TRUE BEER CABINET, MODEL # TDD-2CT (5'X2 ½' DUAL KEG WITH REFRIGERATOR)

13'X2' CUSTOM MADE WOODEN BAR WITH A FORMICA TOP

SIX (6) BAR STOOLS

TWO (2) BATHROOM VANITIES AND TWO (2) METAL STALLS

TWO (2) BATHROOM DOORS

A WOODEN EXTERIOR DOOR

47' OF BASEBOARD HEATING COIL & ENCLOSURE

NINE (9) ELECTRICAL RECEPTACLES

HALL

THIRTY FIVE (35) 6' RECTANGULAR WOODEN TABLES

NINETY SEVEN (97) LEATHER CHAIRS

ONE (1) REFRIGERATOR

8'X8'X2' CUSTOM MADE WOODEN BAR

PLASTIC SINK

64'X14 ½' OF BASEBOARD HEATING COIL & ENCLOSURE (LARGER HALL)

48'X23' OF BASEBOARD HEATING COIL & ENCLOSURE(SMALLER HALL)

CARPETING, THREE SECTIONS (54'X14 ½', 48'X23', 17'X16')

22'X9' WOODEN DANCE FLOOR

TWO (2) WOODEN CLOSET DOORS

ONE (1) INTERIOR WOODEN DOOR

TWO (2) CONNECTED WOODEN INTERIOR DOORS

ONE (1) EXTERIOR DOOR

TWENTY TWO (22) ELECTRICAL RECEPTACLES

KITCHEN

14' OF FLOOR CABINETS WITH A FORMICA TOP

TWO (2) REFRIGERATORS

FRANKLIN CHEF INDUSTRIAL STOVE WITH TWO OVENS, SIX GAS RANGES AND A 2'X2' GRIDDLE

OFFICE

FOUR (4) MINITOR V PAGERS

THREE (3) MINITOR V CHARGERS

OFFICE DESK WITH MULTIPLE DRAWERS

COMPUTER, MONITOR & PRINTER

SMALL ELECTRIC HEATER

5' FILING CABINET WITH FIVE (5) DRAWERS

TWO (2) BOOKCASES

STEEL SAFE

TWO (2) DESK CHAIRS

BROTHER P-TOUCH LABEL MAKER

POLAROID IDENTIFICATION KIT

WOODEN DOOR

HALL BATHROOMS

TWO (2) VANITIES AND STALLS

TWO (2) WOODEN DOORS

COMPRESSOR ROOM

SERVICE TO DAMAGED AIR COMPRESSOR (SERVICE QUOTE AT \$4,200)

STORAGE CABINET

4' LONG ELECTRIC HEATER

5'X2' WORKBENCH

FURNACE ROOM

WATER HEATER (40 GALLON)

GAS FURNACE, MC LAIN, MODEL CGM-7, INPUT BTU 210,000

INTERIOR WOODEN DOOR

EXTERIOR METAL DOOR

METAL CABINET FOR STORAGE

65-1

ENGINE ROOM

40 GALLON AIR COMPRESSOR

SIX (6) SETS OF TURNOUT GEAR

THREE (3) HELMETS

SKID MOUNTED DARLEY 300 GAL. PER MINUTE WATER PUMP (64 HP)

ONE (1) HT 1000 RADIO

THREE (3) HANDLIGHTS

ONE (1) SAWS-ALL

AIR TOOLS (IMPACT WRENCH, TWO CHISELS & REGULATOR)

CRAFTMAN TOOL BOX (1/4, 1/2 & 3/8 WRENCHES & SOCKETS)

HURST TOOLS (BACK-UP SET) SPREADER, CUTTER & POWER UNIT

SERVICING OF PRIMARY HURST TOOLS

POWER INVERTER

2500 WATT GENERATOR

300' OF RESCUE ROPE

TEN (10) CHARGERS FOR STREAMLIGHTS

PUBLIC ADDRESS SYSTEM (PODIUM, SAMSON XP 308 I)

VOLTAGE DETECTOR (180A TEST SET)

TWENTY (20) SCBA MASKS

65-1

ENGINE ROOM

TWO (2) SETS OF WORKLIGHTS (TRIPOD, 3000 HALOGEN, 2 LIGHTS PER SET)

THREE TON FLOOR JACK

FEDERAL Q-SIREN

EXTERIOR METAL DOOR AND COMBO LOCK

ONE (1) HOSE REEL

TWO (2) CORDREELS

TWO (2) SALVAGE TARPS

FIVE (5) ELECTRICAL RECEPTACLES

CONTACT: BILL NEALON

908-902-5208

UNION HOSE FIRE COMPANY

STATION 65-2

1224 FLORENCE AVE.

UNION BEACH, NJ 07735

CONTACT:

CHIEF AL LEWANDOWSKI (BLDG)

732-710-5770

CAPT. CHRIS TUBERION (EQUIPMENT)

732-757-7342

Station 65-2
Union Hose Fire Co.

Boiler \$800.00
Hot Water Heater 29 Gallon \$350.00
A/C Units 2 Ton 13 Seer \$1899.00 x 2 = \$3798.00
3 Refrigerators 18.2cu \$899.00 x 3 = \$2697.00
Water Cooler True (td-24-7) \$1242.75
Commercial Refrigerator Metalfrio (dfd-1rr) \$1824.99
Beer Cooler Top Mount True (td65-24) \$1575.00
Ice Machine Iceomatic (b400) \$764.00
Six Burner Commercial Stove Garland (m43r) \$3884.00
Utility Stove Big John 1 \$335.00
Utility Stove Big John 2 \$650.00
Propane Bottles 40lb. \$115.00 x 5 = \$575.00
6 40Qt. Pots \$155.00 x 6 = \$930.00
2 80Qt. Pots \$235.00 x 2 = \$470.00
2 Drink Coolers \$2422.00 x 2 = \$4844.00
6 portable cookers \$49.98 x 6 = \$299.88
2 Propane grills Big John Grill (a4cc) 2 x \$2290.00 = \$4580.00
Charcoal Grill Big John Grill (m15fb) \$700.00
2 Party Tents 30 x 45 Celina (cti-30x45poletent-alumc) 2 x \$6489.00 = \$12978.00
3 Coolers Coleman 100Qt. 3 x \$49.99 = \$149.97
2 Stainless Steel Tables 30 x 40 2x \$425.00 = \$850.00
Electrical Outlets \$1.19 x 22 = \$26.18
25 8' Heavy Duty Tables 8 x \$179.00 = \$1432.00
10 60" Round Tables 10 x \$329.00 = \$3290.00
Plastic Chairs 240 x \$27.49 = \$6597.00
14 Bar Stools 14 x \$44.10 = \$617.40
Pool Table \$1499.00
Air Compressor Husky (vt6314) \$543.85
5 Interior Doors 5 x \$26.00 = \$130.00
Office Desk Hon-Co. 34000 series \$377.57
2 Storage Cabinets Alera \$682.83
Pvc Fence \$3250.00
3 Bay Doors \$10,000.00
John Deere Riding Mower (bg20657) \$2799.00
Push Mower Honda (hrr216vka) \$349.00
Leaf Blower Echo (pb-500tc) \$299.00
Weed Wacker Black & Decker (1st136) \$169.00
Snow Blower Ariens (921022) \$999.00
Snow Attachment John Deere (bm23602) \$1499.00
Storage Shed 10 x 12 Handy Home \$1959.00
Roof Replacement \$4600.00
Interior rebuild (bathrooms, cabinets, sinks, sheetrock) \$19,500.00

UNION HOSE FIRE COMPANY

OPERATIONAL LOSSES

FIREFIGHTERS GEAR

SUBMERGED FULL SETS (COAT, PANTS, BOOTS, GLOVES, NOMEX HOOD)

- CHRIS TUBERION
- JACK RICE
- ALEX LEPORE
- RICHARD NORMILE
- DAN LONG
- PAUL KERWIN
- CASEY CALMON
- CHRIS LEWANDOWSKI

FLOOD WATER CONTACT SETS (COAT, NOMEX HOODS, GLOVES)

- ROBERT BAIRD
- MATTHEW GAJEWSKI
- RYAN CALMON
- GERARDO ORTIZ
- ELIZABETH SWEENEY
- BRIAN LOWTHER
- PAUL SWEENEY
- CARLOS RODRIGUEZ
- ROBERT MEYER
- WILLIAM ODOM
- RALPH APEL
- VICTOR TUBERION

SPARE TURN OUT GEAR

SUBMERGED OR WASHED AWAY

5 SETS OF BOOTS

3 SETS OF PANTS

ENGINE ROOM

SUBMERGED OR WASHED AWAY

- DESK
- TWO STORAGE CABINET LOCKERS
- WORK BENCH
- LARGE AIR COMPRESSOR
- ONE SCOTT AIR PACK 4.5
- THREE SCOTT MASKS
- SCOT MASK PARTS
 - TWO SMALL MASK RUBBER FACEPIECES
 - TWO LARGE MASK RUBBER FACEPIECES
- K-12 ROTARY SAW
- CHAINSAW
- TWO FIVE GALLON GAS CANS
- OFFICE CHAIR

EQUIPMENT IN 298

SUBMERGED

- 50 TRAFFIC CONES
- 10 DETOUR DISPLAY SIGNS
- 2 ROAD CLOSED SIGNS
- 7 BARRICADES (PLASTIC)
- 2 TWIN LIGHT TOWERS IN PLASTIC CASES
- 1 MOTOROLA SPECTRA MOBILE RADIO

COMMUNICATIONS

SUBMERGED

- THREE MOTOROLA HT1000 PORTABLE RADIOS
- ONE HT1250 PORTABLE RADIO
- FOUR MINITON 5 PAGES

DEPARTMENT RADIO EQUIPMENT LOST

CUSTODY OF IST DEPUTY CHIEF AL LEWANDOWSKI (RESPONSIBLE FOR RADIO REPAIRS)

ONE (1) MINITOR V PAGER

TWO (2) HT 1000 RADIOS & CHARGERS

TWO (2) HT 1250 RADIOS & CHARGERS

THIRTEEN (13) MINITOR V BASE CHARGERS

FIVE (5) HT 1000 ANTENNAS

TWELVE (12) HT 1000 BATTERIES

SIX (6) HT 1250 BATTERIES

TWENTY (20) MINITOR V BATTERIES

ONE (1) STREAMLITE STINGER DS LED

ONE (1) STREAMLITE VULCAN LED

ONE (1) SET OF IST DEPUTY BADGES

UNION BEACH FIRE COMPANY

STATION 65-3

1110 UNION AVE.

UNION BEACH, NJ 07735

CONTACT:

1ST LT ROBERT WOODHEAD

732-778-6098

From: Robert Woodhead Jr <firefighter65378@gmail.com>

To: otto831 <otto831@aol.com>

Subject: Lost list

Date: Sun, Nov 25, 2012 1:03 pm

Union Beach Fire Company #1 65-3

This is a list of lost equipment due to the storm.

(1) cutters edge saw

(1) k12 saw

(1) nozzle - that was used for clean up and broke

(2) portable radios

(1) 6foot NYC style steel roof hook

300f feet of rope and a rope bag

10 pagers

10 sets of morning pride gear

10 sets of gloves,hoods,boots

If you have any questions please feel free to contact me

1st LT Robert Woodhead Jr

732-778-6098

WOODHEADS iPad

HARRIS GARDENS FIRE COMPANY

STATION 65-4

1929 HARRIS AVE.

UNION BEACH, NJ 07735

CONTACT:

COMPANY PRESIDENT STEVE MILLER

732-995-2090

Sandy Storm Damage October 29, 2012

Equipment Damaged or Missing

Back of building

6' by 12' wooden shed damaged and removed

5 carrying bags of complete hazmat suites, 6 suits per bag

6' wooden picket fence, approximately 60 feet

Central air conditioner unit

Engine Room Bay

5 bank portable hand light charger, model – Survivor Bank
Charger, Ser # 25U00000695

2 yellow hand lights – model Survivor Stream Light

2 portable hand lights – Lite Box Model # 400145

6 bank charge for radio model # HT1000 model #
CA1110A Ser # 04050

8 rechargeable batteries for portable radio HT 1000

1 truck exhaust hose, control release system under water

Air compressor with 20 gal. tank model # 4TW29B Ser #
L5/9/06, pump # 3JR84

Plymovent Vehicle Exhaust Removal System, model # OS3
Ser # 5.0#5054949, Box 3803

Soda vending machine

Metal cabinet work stand

Work desk with electric 2 wheel grinder

4- 8' folding wooden tables

25 folding metal chairs with cushions

Utility Closet

2 double door metal lockers

Boiler for baseboard hot water heating system

Hot water heater

Central vacuum system

6 yellow reflective vests

2 Crane firefighting helmets

14- 4' Fluorescent light bulbs

Large wash sink

Engine Bathroom

Bathroom vanity and sink

Hallway and Closet

Metal coat rack

Firefighter dress Uniforms - 25 jackets, 20 pants, 2 short sleeve shirts, 7 firemen's bell hats, & 6 pr. of white gloves

10 Halogen flood lights

10 chandelier lights

1 large metal safe

8 American Flags

5 Personal Protector Sys., model Life Guard # 4

1 Carbon Monoxide Detector, model # 450co

7 Scott face mask voice pack, part # 805059-01

5 assorted firemen's badge

1 small hand paint sprayer

2 Maxon portable radios, model # JB1270 Ser # N/A

Charger for above radios, model CA-1460, Ser # 90202202

1 Vehicle Fire Radio w/mic model #RH256NB
Ser#729A34600

1 head set w/mic for above radio model # DTCRH55

Public address sys. Model #CHB100 ser. #U5J85L

5 Plectrons ser. # 1-R20B5-42730, 2-R20B5-36957, 3-R29B5-42747, 4-R29B6-49895, 5-R20B6-49898

7 Motorola Miniature 5 pagers & chargers, 1 pager missing
ser # for pagers, 1-MD5BSA22934, 2-R46BNW0371, 3-646XUA22KF, 4-MD5BRA2GH3, 5-R46BPN3459, 6-unreadable

Toro timer for out side lights- model #118IR , ser #9000002

12 Ballast for fluorescent lights, Advance part #2P32SC

Two (2) SETS OF TURNOUT GEAR

Harris Gardens Fire Co. Station 65-4

Stephan E Miller

President Stephan E Miller


PW TO RICHARDSON Final Pur

AA RICHARDS GREENTREE CONSTRUCTION				DATE REPORT - November 26, 2012
PROJECT				REPAIRS TO THE HARRIS GARDENS FIREHOUSE
ADDRESS				1207 HARRIS AVENUE AVENUE
ARCHITECT				ANDREW LEONE, P.E.
BP				FIREHOUSE SCHEDULE A (1)
DESCRIPTION	QUANT	UNIT	TOTAL	COMMENTS
1 Permits		EA	\$ -	Paid by owner - Processed by AA RICHARDS/ GreenTree Construction LLC
2 Demolition & Protection		EA	\$ 2,400	COMPLETED
3 Tree Removal		EA	\$ -	N/A
4 Silt Fence		EA	\$ -	N/A
5 Surveyor		EA	\$ -	Not Inc
6 Excavation		CY		
7 Masonry & Foundation		SF	\$ 14,000	NEW CONCRETE CURB AS PER ENGINEERING DRAWINGS
8 Lumber		SF	\$ 2,000	Material
9 Framing		SF		Labor
10 Steel		EA	\$ 2,500	AS PER ENGINEERS DRAWING
11 Windows & Doors exteriore		EA		
12 Roofing		SQ		
13 Soffit & Fascia & Gutters & Leaders		LF		
14 MOLD REMEDIATION		SQ	\$ 10,400	TREAT ALL AREAS, THEN COAT WITH ANTI-FUNGAL PAINT
15 Column Entrance & Porch Details		EA		
16 Stone Veneer		SF		
17 Brick		SF		
18 Stucco		SF	\$ 5,000	Cement plaster 2 coats over metal lath. New 3/4 plywood underlayment
19 Stairs		EA	\$ 3,000	New Pine stairs to replace damaged
20 Plumbing		EA	\$ 1,500	NEW FIXTURES/REPAIRS
21 Electric		EA	\$ 15,500	NEW SERVICE FOR FIRST FLOOR
22 HVAC		EA	\$ 17,100	NEW BOILER, 200 GALLON WATER HEATER, NEW BASEBOARD IN ONE ROOM
23 Fireplace		EA	\$ -	Not Inc
24 Sprinkler		EA	\$ -	Not Inc
25 Alarm		EA	\$ -	Not Inc
26 PLYMOVENT		EA	\$ 2,500	NEW CONTROLLING BOX INSTALLED
27 Insulation		SF	\$ 1,500	r-19 AT EXTERIOR WALLS
28 Dry Wall		SF	\$ 3,000	Plan - Gypsum board - 1/2" walls & Ceilings
29 Entrance Door		EA	\$ 1,500	REPLACE EXTERIOR STEEL DOORS AS REQUIRED
30 Int. Doors		EA		
31 Int. Trim		LF	\$ 500	Base molding- 3 1/2", Door casing 2 1/2"
32 Hardwood Flooring		SF		3/4" x 2 1/4" Select Oak no.1 All of new second floor, all of new master Suite.
33 Tile		SF	\$ 500	NEW BATHROOM TILE
34 Carpet		SY	\$ -	
35 Paint		SF	\$ 1,000	BENJAMIN MOORE
36 Garage Door		EA	\$ 7,000	REPLACE EXTERIOR GARGAGE DOORS AS REQUIRED
37 Kitchen		EA	\$ -	Not Inc
38 Appliances		EA	\$ -	Not Inc
39 Countertop		SF	\$ -	Not Inc
40 Bath Accessories		EA	\$ -	
41 Deck & Railing		EA		
42 Site work		EA		Not Inc
43 Drive Way		SF		Not Inc
44 Curb		LF	\$ -	Not Inc
45 Landscape		EA	\$ -	Not Inc
46 General conditions		GL	\$ 7,480	Inc. Dumpsters, Machinery, Soil removal, Clean Up, labor, Miscellaneous
TOTAL			\$ 98,380	
			\$ -	

Alternate 1. Paving \$ 4,000 Allowance
 Alternate 2. Roof Replacement \$ 6,500 Allowance

AA RICHARDS GREENTREE CONSTRUCTION				DATE REPORT - November 26, 2012
PROJECT				REPAIRS TO THE HARRIS GARDENS FIREHOUSE
ADDRESS				1207 HARRIS AVENUE AVENUE
ARCHITECT				ANDREW LEONE, P.E.
BP				FIREHOUSE SCHEDULE A (1)
DESCRIPTION	QUANT	UNIT	TOTAL	COMMENTS

NOTES				
All Mechanical Equipment Included will be given to owner with instructions, warranty and support by AA RICHARDS GREENTREE				
All coordination's of others trades				Cost + 15%
Building Permits - By owner - Process by AARICHARDS GREENTREE				
Landscaping & Sprinkler systems Not Inc				
This proposal expire in 30 days				
EXCLUSIONS:				
Rock Excavation - Soil Removal after excavation				
Sitework & See page - Pit				
Any Unknown structural Issues during demolition and construction				
New Services lines such as sewer, water, Gas and Electric, Electric panel services				
Professional services				
Not Inc. shelves, millwork				



Fusion
Engineering, LLC

1 Bethany Road
Suite 86
Hazlet, NJ 07730

PROJECT NAME: HAREK GARDENS FIVE HOUSE

PROJECT #: _____ SHEET _____ OF _____

PREPARED BY: ADDL DATE: 11/25/16


REVIEWED BY: _____ DATE: _____

NOTES:

1. APPLY DETAIL AROUND ENTIRE PERIMETER OF BUDG.
2. INSTALL IN 8' SECTION

APPLY SIKADUR 52 H.MOD TO EXISTING CONCRETE

EXISTING SCAB/FDN



PA-02-NJ-4086-PW-03944(0) <u>D</u> <u>P</u>	
Applicant Name:	Application Title:
UNION BEACH FIRST AID	UBTQJDR Donated Resources
Period of Performance Start:	Period of Performance End:
10-30-2012	04-30-2013

Subgrant Application - Entire Application

Application Title: UBTQJDR Donated Resources
Application Number: PA-02-NJ-4086-PW-03944(0)
Application Type: Subgrant Application (PW)

Preparer Information

Prefix	Mr.
First Name	KEN
Middle Initial	
Last Name	GROOVEY
Title	FEMA Project Specialist
Agency/Organization Name	DHS/FEMA
Address 1	PO Box 7068
Address 2	River Road
City	West Trenton
State	NJ
Zip	08628
Email	lpppau@gw.njsp.org

Is the application preparer the Point of Contact? No

Point of Contact Information

Prefix	Mr.
First Name	Carl
Middle Initial	
Last Name	Rodriquez
Title	Chief
Agency/Organization	Union Beach First Aid
Address 1	310 Park Avenue
Address 2	
City	Union Beach
State	NJ

ZIP 07735
Phone 732-264-0275
Fax
Email ubems6550@verizon.net

Alternate Point of Contact Information

Prefix
First Name
Middle Initial
Last Name
Title
Agency/Organization
Address 1
Address 2
City
State
ZIP
Phone
Fax
Email

Project Description

Disaster Number: 4086
Pre-Application Number: PA-02-NJ-4086-RPA-1361
Applicant ID: 025-UBTQJ-00
Applicant Name: UNION BEACH FIRST AID
Subdivision:
Project Number: UBTQJDR
Standard Project Number/Title: 290 - Donated Resources
Please Indicate the Project Type: Neither Alternate nor Improved
Application Title: UBTQJDR Donated Resources
Category: B.PROTECTIVE MEASURES
Percentage Work Completed? 100.0 %
As of Date: 05-29-2013
Comments

Attachments

Damage Facilities (Part 1 of 2)

Facility Number	Facility Name	Address	County	City	State	ZIP	Site Previously Damaged?	Action
-----------------	---------------	---------	--------	------	-------	-----	--------------------------	--------

1 Union Beach First Aid

Monmouth

NJ

No

Comments

Attachments

Facility Name: Union Beach First Aid

Address 1:

Address 2:

County: Monmouth

City:

State: NJ

ZIP:

Was this site previously damaged? No

Location:

310 Park Avenue, Union Beach, NJ 07753

Damage Description and Dimensions:

This project has been written to capture the donated resources credit on behalf of this eligible applicant.

WORK COMPLETED:

Scope of Work:

Applicant used materials with 24 volunteer employees and 2,536 labor hours to repair drywalls, flooring, and fixtures, of the building, that consists of a meeting room (27' X 35' X 9'), Bathroom (7' X 8' X 9'), Kitchen (14 X 8' X 9') and utility room (5' X 8' X 9'). A description of supplies and materials used included in backup documents. The Applicant replaced damaged appliances, radios, batteries, bathroom fixtures, pagers, pager batteries, programmable radios and lighting for the ambulances. All items were damaged as a result of the 27' flood waters from Sandy.

GIS Coordinates

Project Location
310 Park Avenue, Union Beach, NJ
07735

Latitude

40.44363

Longitude

-74.17436

PNP Questions

Name of damaged facility:

Union Beach First Aid Squaid Inc.

Critical facility:

Unknown

Facility Street Address:

310 Park Avenue

City:

State: NJ
 ZIP: 07735
 Was the facility in use during disaster? Yes
 Was the facility damaged due to disaster? Yes
 Are repairs the legal responsibility of the PNP? Yes
 Please explain the primary purpose of damaged facility: First Aid
 Please explain the type of assistance requested? Public Assistance
 Who may use the facility? EMS Crew
 Contact First Name: Carolos
 Contact Middle Initial:
 Contact Last Name: Rodriguez
 Contact Phone: 732-670-9655
 Is there a fee charged for use of the facility: No
 If Yes, what is the cost?
 Do you own the facility? Yes
 If Yes, do you have proof of ownership attached? No
 Do you lease the facility? No
 If Yes, do you have the lease agreement attached?
 Do you rent the facility? No
 If Yes, do you have the rental agreement attached?
 Is the facility insured? Yes
 If Yes, is the insurance policy attached? Yes
 Comments
 Attachments

Special Considerations

1. Does the damaged facility or item of work have insurance coverage and/or is it an insurable risk (e.g., buildings, equipment, vehicles, etc)? No
2. Is the damaged facility located within a floodplain or coastal high hazard area and/or does it have an impact on a floodplain or wetland? No
3. Is the damaged facility or item of work located within or adjacent to a Coastal Barrier Resource System Unit or an Otherwise Protected Area? No
4. Will the proposed facility repairs/reconstruction change the pre-disaster conditions (e.g., footprint, material, location, capacity, use of function)? No
5. Does the applicant have a hazard mitigation proposal or would the applicant like technical assistance for a hazard mitigation proposal? No
6. Is the damaged facility on the National Register of Historic Places or the state historic No

listing? Is it older than 50 years? Are there more, similar buildings near the site?

7. Are there any pristine or undisturbed areas on, or near, the project site? Are there large tracts of forestland? No
8. Are there any hazardous materials at or adjacent to the damaged facility and/or item of work? No
9. Are there any other environmental or controversial issues associated with the damaged facility and/or item of work? No
10. Is the damaged facility or item of work located within two-hundred feet of a body of water? No

Attachments

Mitigation section is not applicable for your project category.

Cost Estimate

Is this Project Worksheet for

Donated Resources

(Preferred) Repair

Sequence	Code	Material and/or Description	Unit Quantity	Unit of Measure	Unit Price	Subgrant Budget Class	Cost Estimate	Action
1	0000	Work Completed						
2	9022	Volunteer Labor	2536	HR	\$ 19.67	PERSONNEL	\$ 49,883.12	
3	9999	In-eligible Donated Labor Costs	1	LS	\$ - 49,883.12	CONSTRUCTION	\$ -49,883.12	
Total Cost:							\$ 0.00	

Insurance Adjustments (Deductibles, Proceeds and Settlements)

Sequence	Code	Material and/or Description	Unit Quantity	Unit of Measure	Unit Price	Subgrant Budget Class	Cost Estimate	Action
Total Cost:							\$ 0.00	

Total Cost Estimate: \$ 0.00

(Preferred Estimate Type + Insurance Adjustments)

Comments

Attachments

Existing Insurance Information

Insurance Type	Policy No.	Bldg/Property Amount	Content Amount	Insurance Amount	Deductible Amount	Years Required
----------------	------------	----------------------	----------------	------------------	-------------------	----------------

Comments

Attachments

Comments and Attachments

Name of Section Comment

Attachment

Form 90-91

UBTQJDR - Union Beach First Aid - Unsigned Donated Resources.pdf
 UBTQJDR - Union Beach First Aid - Donated Resources Scope of Work.pdf

Bundle Reference # (Amendment #)	Date Awarded

Subgrant Application - FEMA Form 90-91

Note: The Effective Cost Share for this application is 75%

FEDERAL EMERGENCY MANAGEMENT AGENCY PROJECT WORKSHEET						
DISASTER		PROJECT NO.	PA ID NO.	DATE	CATEGORY	
FEMA	4086 - DR -NJ	UBTQJDR	025-UBTQJ-00	05-29-2013	B	
APPLICANT: UNION BEACH FIRST AID				WORK COMPLETE AS OF: 05-29-2013 : 100 %		
Site 1 of 1						
DAMAGED FACILITY:				COUNTY: Monmouth		
Union Beach First Aid						
LOCATION:				LATITUDE:	LONGITUDE:	
Current Version:				40.44363	-74.17436	
310 Park Avenue, Union Beach, NJ 07753						
DAMAGE DESCRIPTION AND DIMENSIONS:						
Current Version:						
This project has been written to capture the donated resources credit on behalf of this eligible applicant.						
SCOPE OF WORK:						
Current Version:						
WORK COMPLETED: Applicant used materials with 24 volunteer employees and 2,536 labor hours to repair drywalls, flooring, and fixtures, of the building, that consists of a meeting room (27' X 35' X 9'), Bathroom (7' X 8' X 9'), Kitchen (14 X 8' X 9') and utility room (5' X 8' X 9'). A description of supplies and materials used included in backup documents. The Applicant replaced damaged appliances, radios, batteries, bathroom fixtures, pagers, pager batteries, programmable radios and lighting for the ambulances. All items were damaged as a result of the 27' flood waters from Sandy.						
Does the Scope of Work change the pre-disaster conditions at the site?		Special Considerations included?				
Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Hazard Mitigation proposal included?		Is there insurance coverage on this facility?				
Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
PROJECT COST						
ITEM	CODE	NARRATIVE	QUANTITY/UNIT	UNIT PRICE	COST	
1	0000	Work Completed	0/LS	\$ 0.00	\$ 0.00	
2	9022	Volunteer Labor	2536/HR	\$ 19.67	\$ 49,883.12	
3	9999	In-eligible Donated Labor Costs	1/LS	\$ -49,883.12	\$ -49,883.12	
				TOTAL COST	\$ 0.00	

PREPARED BY KEN GROOVEY	TITLE FEMA Project Specialist	SIGNATURE
APPLICANT REP. Carl Rodriguez	TITLE Chief	SIGNATURE

UNION BEACH FIRST AID : PA-02-NJ-4086-PW-03944					
Conditions Information					
Review Name	Condition Type	Condition Name	Description	Monitored	Status
No Conditions					

Internal Comments				
No.	Queue	User	Date/Time	Reviewer Comments
No Comments				

[Go Back](#)

PA-02-NJ-4086-PW-03666(0) <u>P</u>	
Applicant Name:	Application Title:
UNION BEACH FIRST AID	UBTQJO3 BUILDING EQUIPMENT
Period of Performance Start:	Period of Performance End:
10-30-2012	04-30-2014

Subgrant Application - Entire Application

Application Title: UBTQJO3 BUILDING EQUIPMENT

Application Number: PA-02-NJ-4086-PW-03666(0)

Application Type: Subgrant Application (PW)

Preparer Information

Prefix	
First Name	KEN
Middle Initial	
Last Name	GROOVEY
Title	PROJECT SPECIALIST
Agency/Organization Name	DHS/FEMA
Address 1	PO Box 7068
Address 2	RIVER ROAD
City	WEST TRENTON
State	NJ
Zip	08628
Email	lpppau@gw.njsp.org

Is the application preparer the Point of Contact? No

Point of Contact Information

Prefix	
First Name	Carlos
Middle Initial	
Last Name	Rodriquez
Title	Chief
Agency/Organization	Union Beach First Aid
Address 1	310 Park Avenue
Address 2	
City	Union Beach
State	NJ

ZIP 07735
Phone 732-264-0275
Fax
Email ubems6550@verison.net

Alternate Point of Contact Information

Prefix
First Name
Middle Initial
Last Name
Title
Agency/Organization
Address 1
Address 2
City
State
ZIP
Phone
Fax
Email

Project Description

Disaster Number: 4086
Pre-Application Number: PA-02-NJ-4086-RPA-1361
Applicant ID: 025-UBTQJ-00
Applicant Name: UNION BEACH FIRST AID
Subdivision:
Project Number: UBTQJ03
Standard Project Number/Title: 599 - Repair Damages to Public Buildings and Facilities
Please Indicate the Project Type: Neither Alternate nor Improved
Application Title: UBTQJ03 BUILDING EQUIPMENT
Category: E.PUBLIC BUILDINGS
Percentage Work Completed? 27.0 %
As of Date: 05-29-2013
Comments

Attachments

Damage Facilities (Part 1 of 2)

Facility Number	Facility Name	Address	County	City	State	ZIP	Site Previously Damaged?	Action
--------------------	---------------	---------	--------	------	-------	-----	--------------------------------	--------

1 Union Beach First Aid 310 Park Avenue Monmouth Union Beach NJ 07735 No

Comments

Attachments

Facility Name: Union Beach First Aid
Address 1: 310 Park Avenue
Address 2:
County: Monmouth
City: Union Beach
State: NJ
ZIP: 07735
Was this site previously damaged? No

Location:

310 Park Avenue
Union Beach, NJ 07735

During the October 27th through November 8th, 2012 incident period, high winds, severe flooding, downed trees and limbs, downed power poles and power lines from Hurricane Sandy resulted in damages to Union Beach First Aid building (Meeting room 27 ft. X 35 ft. X 9 ft. high; Bathroom 7 ft. X 8 ft. X 9 ft. high; kitchen 14 ft. X 8 ft. X 9 ft. high; utility room 5 ft. X 8 ft. X 9 ft. high) and equipment. Estimated flood water of 27 inches flooded the building and contaminated equipment and supplies.

GPS taken at 310 Park Ave, Union Beach, NJ.

During the October 27th through November 8th, 2012 incident period, high winds, severe flooding, downed trees and limbs, downed power poles and power lines from Hurricane Sandy resulted in damages to Union Beach First Aid building (Meeting room 27 ft. X 35 ft. X 9 ft. high; Bathroom 7 ft. X 8 ft. X 9 ft. high; kitchen 14 ft. X 8 ft. X 9 ft. high; utility room 5 ft. X 8 ft. X 9 ft. high) and equipment. Estimated flood water of 27 inches flooded the building and contaminated equipment and supplies.

GPS taken at 310 Park Ave, Union Beach, NJ.

Project Notes:

* CO2 Cylinders - Applicant owns the oxygen tanks. They were knocked over with the flood water going the building and damaging the valves compromising and contaminating the inside of the tanks.

* Hydraulic cots - Flood water got into the electrical parts of the cots

Damage Description and Dimensions:

inside of the ambulances and cost to repair was \$7,000, but with no guarantee due to salt water getting into them.

* Supplies - Supplies were in filing cabinets, (office supplies, files, cases of paper) that were flooded and were replaced.

* Boiler - was fully submerged under the flood water and damaged. The boiler was located on the ground level.

* Applicant has memo from manufacturing company stating that the Turnout Gear is contaminated. Gear was taken out of service. (Memo attached with back up documents).

* The Applicant is not claiming Direct Administrative Costs for this project worksheet.

*RECORD RETENTION: Complete records and cost documents for all approved work must be maintained for at least 3 years from the date the last project was completed or from the date final payment was received, whichever is later. Applicant is responsible for retention of all documentation associated with this project.

*SUPPORTING DOCUMENTATION: 20% or more of the documentation to support this project has been reviewed and verified by the Applicant and Project Specialist for eligibility and correctness.

*PROCUREMENT: The applicant is required to adhere to State Government Procurement rules and regulations and maintain adequate records to support the basis for all purchasing of goods and materials and contracting services for projects approved under the Public Assistance program, as stated in 44 CFR 13.36. The applicant has advised they have/will follow their normal procurement procedures.

*PERMITS: The PA Project Specialist has advised the Applicant that it is their responsibility to obtain all applicable local, state and federal permits prior to any construction or debris disposal activity referenced on this project. Applicant has also been advised that the lack of obtaining and maintaining these documents may jeopardize funding.

*INSURANCE: The applicant is aware that all projects are subject to an insurance review as stated in 44 C.F.R. Sections 206.252 and 206.253. If applicable an insurance determination will be made either as anticipated proceeds or actual proceeds in accordance with the applicant's insurance policy that may affect the total amount of the project.

Work Complete: Applicant used materials with 24 volunteer employees and 2,536 labor hours to repair drywalls, flooring, and fixtures, of the building. that consists of a meeting room (27' X 35' X 9'), Bathroom (7' X 8' X 9'), Kitchen (14 X 8' X 9') and utility room (5' X 8' X 9'). A description of supplies and materials used included in backup documents. The Applicant replaced damaged appliances, radios, batteries, bathroom fixtures, pagers, pager batteries, programmable radios and lighting for the ambulances. All items were damaged as a result of the 27' flood waters from Sandy. Applicant contracted with Coastal Air Conditioning to replace boiler (CGA - 140000 BTU boiler).
Work To Be Complete:
Applicant obtained quotes from contractors to replace the medical

supplies in 3 ambulances damaged and flooded in Sandy, and Turnout Gear contaminated in the flood waters. The medical supplies for the ambulances are State mandated. See Continuation for a detail of each quote.

Work to be Complete:

ESTIMATES:

New Jersey Fire Equipment: Turnout Gear = \$46,490.40 (Detailed below)

HUR CANE SANDYEMERGENCY 22 637.00 14,014.00
GLOBE G- XCEL TURNOUT GEAR(NFPA/NJEOSHA)

PANTS -

D27 Gold advance Outer Shell
78 Aralite SL2 Thermal Liner
G Black Crosstech Moisture Barrier
Padded Knees
Gray Suede Reinforced Knees
Gray Suede Reinforced Cuffs
Black Padded Ripcord H-Back Suspend

Sizes:

Waist through 58
Lengths - 26", 28", 30", 32"

Scope of Work:

Globe Foot Wear Shadow 14" Leather Boots 22 310.00 6,820.00

Cairns 1044 with Defender Visor, Amber Tuff Shield,
Standard 22 216.12 4,754.64
Headband Liner, Yellow Nomex Earlaps, 6" Silk Screened Eagle Front
holder, Chinstrap Nomex w/ Quick Release and Postmans Slide, Trim
Type Scotchlite

Stanfield Ltd. Life Liner Hoods 22 36.53 803.66
NN23 100% White Nomex Hoods

Fire Guard Defender Gloves, Gauntlet 22 53.00 1,166.00

Work to be Complete: Applicant acquired quotes (ESTIMATES) for
TURNOUT, and medical supplies. Details are listed below:

Globe G-XCEL TURNOUT GEAR (NFPA/NJEOSHA)

COAT: D27 Gold Advance Outer Shell, Drag/Rescue Device
78 Aralite SL2 Thermal Liner
G Black Crosstech Moisture Barrier
FDNY Style 3" Scotchlite Triple Trim (R/O or L/Y) Zipper- In/ Velcro-Out
Closure
Radio Pocket (Advise Size and Location) Self - MIC Strap (Above
Radio Pocket)
D Ring on Suede Patch(Advise Location) Flashlight Snap and Strap
(Advise Location)
Gray Suede Reinforced Cuffs
4" Nomex Wrist Guards
Embroidered American Flag (Advise Location)

3" Scotchlite Lettering (R/O or LIY)

UNION BEACH First Aid

22 860.55 18,932.10

Total New Jersey Fire Equipment = \$46,490.40

V.E. Ralph & Sons, Inc. = \$62,551.03

*Powerflexx cot w/comp. ics system - Rescue & Telescoping lift handles foot end. \$19,320.00

* Pelican 9410 LED Lantern; M size Steel 02 Cylinder; H size Steel 02 Cylinder; LCSU4 800 ML suction unit = \$2,318.00

* Medical supplies required in 3 ambulances. (Detailed list attached) - \$40,913.03

Note: Applicant moved their 3 ambulances to what was through at the time to higher ground to protect them; however the resulting storm surge totally destroyed the ambulances and all supplies in each of the 3 ambulances.

GIS Coordinates

Project Location	Latitude	Longitude
Union Beach First Aid	40.44363	-74.17436

PNP Questions

Name of damaged facility:	Union Beach First Aid
Critical facility:	Entire Facility is Critical
Facility Street Address:	310 Park Avenue
City:	Union Beach
State:	NJ
ZIP:	07735
Was the facility in use during disaster?	Yes
Was the facility damaged due to disaster?	Yes
Are repairs the legal responsibility of the PNP?	Yes
Please explain the primary purpose of damaged facility:	EMT
Please explain the type of assistance requested?	Damage to Building and equipment
Who may use the facility?	General public
Contact First Name:	Carlos
Contact Middle Initial:	
Contact Last Name:	Rodriguez
Contact Phone:	732-264-0275
Is there a fee charged for use of the facility:	No
If Yes, what is the cost?	
Do you own the facility?	Yes
If Yes, do you have proof of	

ownership attached? No

Do you lease the facility? No

If Yes, do you have the lease agreement attached?

Do you rent the facility? No

If Yes, do you have the rental agreement attached?

Is the facility insured? Yes

If Yes, is the insurance policy attached? No

Comments

Attachments

Special Considerations

1. Does the damaged facility or item of work have insurance coverage and/or is it an insurable risk (e.g., buildings, equipment, vehicles, etc)? Yes
2. Is the damaged facility located within a floodplain or coastal high hazard area and/or does it have an impact on a floodplain or wetland? No
3. Is the damaged facility or item of work located within or adjacent to a Coastal Barrier Resource System Unit or an Otherwise Protected Area? No
4. Will the proposed facility repairs/reconstruction change the pre-disaster conditions (e.g., footprint, material, location, capacity, use of function)? No
5. Does the applicant have a hazard mitigation proposal or would the applicant like technical assistance for a hazard mitigation proposal? No
6. Is the damaged facility on the National Register of Historic Places or the state historic listing? Is it older than 50 years? Are there more, similar buildings near the site? No
7. Are there any pristine or undisturbed areas on, or near, the project site? Are there large tracts of forestland? No
8. Are there any hazardous materials at or adjacent to the damaged facility and/or item of work? No
9. Are there any other environmental or controversial issues associated with the damaged facility and/or item of work? No
10. Is the damaged facility or item of work located within two-hundred feet of a body of water? No

Attachments

For Category C, D, E, F, and G Projects only

Is effective mitigation feasible on this project? Yes

If you answered **Yes** to the above question, the next question is required

Will mitigation be performed on any sites in this project? No

If you answered **Yes** to the above question, the next question is required

Do you wish to attach a Hazard Mitigation Proposal? No

If you answered **Yes** to the above question, the next two questions are required

Please provide the Scope of Work
for the estimate:

Would you like to add the Hazard Mitigation
Proposal as a cost line item to the project cost? No

Comments

Attachments

Cost Estimate

Is this Project Worksheet for

Cost Estimate Format

(Preferred) Repair

Sequence	Code	Material and/or Description	Unit Quantity	Unit of Measure	Unit Price	Subgrant Budget Class	Cost Estimate	Action
1	<u>0000</u>							
						Work Completed		
2	<u>9001</u>	Contract	1	LS	\$ 5,275.00	CONTRACTUAL	\$ 5,275.00	
3	<u>9009</u>	Material	1	LS	\$ 33,839.54	SUPPLIES	\$ 33,839.54	
4	<u>0000</u>							
						Work to be Completed		
5	<u>9000</u>	CEF Cost Estimate (See Attached Spreadsheet)	1	LS	\$ 109,041.07	CONSTRUCTION	\$ 109,041.07	
6	<u>9903</u>	No Direct Administrative Costs	1	LS	\$ 0.00	OTHER	\$ 0.00	
Total Cost:							\$ 148,155.61	

Insurance Adjustments (Deductibles, Proceeds and Settlements)

Sequence	Code	Material and/or Description	Unit Quantity	Unit of Measure	Unit Price	Subgrant Budget Class	Cost Estimate	Action
1	<u>5902</u>	Mandatory NFIP Reduction - Maximum Proceeds Available - Building	1	LS	\$ -9,331.98		\$ -9,331.98	
2	<u>5902</u>	Mandatory NFIP Reduction - Maximum Proceeds Available - Contents	1	LS	\$ -41,143.74		\$ -41,143.74	
3	<u>5901</u>	Deduct Anticipated Insurance Proceeds - Ambulance	1	LS	\$ -67,162.41		\$ -67,162.41	
Total Cost:							\$ -117,638.13	

Total Cost Estimate: \$ 30,517.48

(Preferred Estimate Type + Insurance Adjustments)

Comments

Attachments

Insurance Type	Policy No.	Existing Insurance Information				
		Bldg/Property Amount	Content Amount	Insurance Amount	Deductible Amount	Years Required
Flood	MELJIF / Zurich	\$ 0.00	\$ 0.00	\$ 2,500,000.00	\$ 500,000.00	1
Vehicle	MELJIF / Zurich	\$ 0.00	\$ 0.00	\$ 125,250,000.00	\$ 2,500.00	1

Comments

Applicant is a member of Monmouth Municipal JIF which is part of Municipal Excess Liability JIF (MELJIF). MELJIF purchases insurance from Zurich Insurance. Facility is located in a SFHA (see attached FIRMette). Facilities in a SFHA are subject to a \$500,000 deductible each for buildings and contents. A mandatory reduction has been made for the maximum amount available under a NFIP policy per 44 CFR 202.252(a). The damage to the ambulance and it's contents is covered by the JIF, subject to a \$2,500 deductible. The deductible was applied to other projects. Anticipated insurance proceeds have been deducted.

Attachments

User	Date	Document Type	Description	Hard Copy File Reference	File Name	Action
JAMES MOCHEL	06-12-2013	Insurance Analysis Data Sheet	Cost Allocation		PW 3666(0) Cost Allocation.xlsx(12.10 kb)	View
JAMES MOCHEL	06-12-2013	Insurance Analysis Data Sheet	Mandatory NFIP Calculation		PW 3666(0) -NJ Mandatory NFIP Calculation.xlsx (16.48 kb)	View
JAMES MOCHEL	06-12-2013	Floodplain	FIRMette		Union Beach First Aid FIRMette.pdf(328.85 kb)	View

Comments and Attachments

Name of Section	Comment	Attachment
Preparer Information		FW PW 3666 Union Beach First Aid UBTQJO3 Building Equipment.msg
Insurance Information	Applicant is a member of Monmouth Municipal JIF which is part of Municipal Excess Liability JIF (MELJIF). MELJIF purchases insurance from Zurich Insurance. Facility is located in a SFHA (see attached FIRMette). Facilities in a SFHA are subject to a \$500,000 deductible each for buildings and contents. A mandatory reduction has been made for the maximum amount available under a NFIP policy per 44 CFR 202.252(a). The damage to the ambulance and it's contents is covered by the JIF, subject to a \$2,500 deductible. The deductible was applied to other projects. Anticipated insurance proceeds have been deducted.	PW 3666(0) Cost Allocation.xlsx PW 3666(0) -NJ Mandatory NFIP Calculation.xlsx Union Beach First Aid FIRMette.pdf
Form 90-91		UBTQJO3 Signed PW.pdf UBTQJO3 CEF.pdf UBTQ03 Maps.pdf UBTQ03 Photos.pdf UBTQ03 Invoices and backup #1.pdf UBTQ03 Invoices and backup #2.pdf

Bundle Reference # (Amendment #)	Date Awarded

Subgrant Application - FEMA Form 90-91

Note: The Effective Cost Share for this application is 75%

FEDERAL EMERGENCY MANAGEMENT AGENCY PROJECT WORKSHEET					
DISASTER		PROJECT NO.	PA ID NO.	DATE	CATEGORY
FEMA	4086 - DR NJ	UBTQJ03	025-UBTQJ-00	05-29-2013	E
APPLICANT: UNION BEACH FIRST AID				WORK COMPLETE AS OF: 05-29-2013 : 27 %	
Site 1 of 1					
DAMAGED FACILITY:				COUNTY: Monmouth	
Union Beach First Aid					
LOCATION:				LATITUDE:	LONGITUDE:
Current Version:				40.44363	-74.17436
310 Park Avenue Union Beach, NJ 07735					
DAMAGE DESCRIPTION AND DIMENSIONS:					
Current Version:					
<p>During the October 27th through November 8th, 2012 incident period, high winds, severe flooding, downed trees and limbs, downed power poles and power lines from Hurricane Sandy resulted in damages to Union Beach First Aid building (Meeting room 27 ft. X 35 ft. X 9 ft. high; Bathroom 7 ft. X 8 ft. X 9 ft. high; kitchen 14 ft. X 8 ft. X 9 ft. high; utility room 5 ft. X 8 ft. X 9 ft. high) and equipment. Estimated flood water of 27 inches flooded the building and contaminated equipment and supplies. GPS taken at 310 Park Ave, Union Beach, NJ. During the October 27th through November 8th, 2012 incident period, high winds, severe flooding, downed trees and limbs, downed power poles and power lines from Hurricane Sandy resulted in damages to Union Beach First Aid building (Meeting room 27 ft. X 35 ft. X 9 ft. high; Bathroom 7 ft. X 8 ft. X 9 ft. high; kitchen 14 ft. X 8 ft. X 9 ft. high; utility room 5 ft. X 8 ft. X 9 ft. high) and equipment. Estimated flood water of 27 inches flooded the building and contaminated equipment and supplies. GPS taken at 310 Park Ave, Union Beach, NJ. Project Notes: * CO2 Cylinders - Applicant owns the oxygen tanks. They were knocked over with the flood water going the building and damaging the valves compromising and contaminating the inside of the tanks. * Hydraulic cots - Flood water got into the electrical parts of the cots inside of the ambulances and cost to repair was \$7,000, but with no guarantee due to salt water getting into them. * Supplies - Supplies were in filing cabinets, (office supplies, files, cases of paper) that were flooded and were replaced. * Boiler - was fully submerged under the flood water and damaged. The boiler was located on the ground level. * Applicant has memo from manufacturing company stating that the Turnout Gear is contaminated. Gear was taken out of service. (Memo attached with back up documents). * The Applicant is not claiming Direct Administrative Costs for this project worksheet. *RECORD RETENTION: Complete records and cost documents for all approved work must be maintained for at least 3 years from the date the last project was completed or from the date final payment was received, whichever is later. Applicant is responsible for retention of all documentation associated with this project. *SUPPORTING DOCUMENTATION: 20% or more of the documentation to support this project has been reviewed and verified by the Applicant and Project Specialist for eligibility and correctness. *PROCUREMENT: The applicant is required to adhere to State Government Procurement rules and regulations and maintain adequate records to support the basis for all purchasing of goods and materials and contracting services for projects approved under the Public Assistance program, as stated in 44 CFR 13.36. The applicant has advised they have/will follow their normal procurement procedures. *PERMITS: The PA Project Specialist has advised the Applicant that it is their responsibility to obtain all applicable local, state and federal permits prior to any construction or debris disposal activity referenced on this project. Applicant has also been advised that the lack of obtaining and maintaining these documents may jeopardize funding. *INSURANCE: The applicant is aware that all projects are subject to an insurance review as stated in 44 C.F.R. Sections 206.252 and 206.253. If applicable an insurance determination will be made either as anticipated proceeds or actual proceeds in accordance with the applicant's insurance policy that may affect the total amount of the project.</p>					
SCOPE OF WORK:					
Current Version:					
<p>Work Complete: Applicant used materials with 24 volunteer employees and 2,536 labor hours to repair drywalls, flooring, and fixtures, of the building. that consists of a meeting room (27' X 35' X 9'), Bathroom (7' X 8' X 9'), Kitchen (14 X 8' X 9') and utility room (5' X 8' X 9'). A description of supplies and materials used included in backup documents. The Applicant replaced damaged appliances, radios, batteries, bathroom fixtures, pagers, pager batteries, programmable radios and lighting for the ambulances. All items were damaged as a result of the 27' flood waters from Sandy. Applicant contracted with Coastal Air Conditioning to replace boiler (CGA - 140000 BTU boiler). Work To Be Complete: Applicant obtained quotes from contractors to replace the medical supplies in 3 ambulances damaged and flooded in Sandy, and Turnout Gear contaminated in the flood waters. The medical supplies for the ambulances are State mandated. See Continuation for a detail</p>					

of each quote. Work to be Complete: ESTIMATES: New Jersey Fire Equipment: Turnout Gear = \$46,490.40 (Detailed below) HUR CANE SANDYEMERGENCY 22 637.00 14,014.00 GLOBE G- XCEL TURNOUT GEAR(NFPA/NJEOSHA) PANTS - D27 Gold advance Outer Shell 78 Aralite SL2 Thermal Liner G Black Crosstech Moisture Barrier Padded Knees Gray Suede Reinforced Knees Gray Suede Reinforced Cuffs Black Padded Ripcord H-Back Suspend Sizes: Waist through 58 Lengths - 26", 28", 30", 32" Globe Foot Wear Shadow 14" Leather Boots 22 310.00 6,820.00 Cairns 1044 with Defender Visor, Amber Tuff Shield, Standard 22 216.12 4,754.64 Headband Liner, Yellow Nomex Earlaps, 6" Silk Screened Eagle Front holder, Chinstrap Nomex w/ Quick Release and Postmans Slide, Trim Type Scotchlite Stanfield Ltd. Life Liner Hoods 22 36.53 803.66 # NN23 100% White Nomex Hoods Fire Guard Defender Gloves, Gauntlet 22 53.00 1,166.00 Work to be Complete: Applicant acquired quotes (ESTIMATES) for TURNOUT, and medical supplies. Details are listed below: Globe G-XCEL TURNOUT GEAR (NFPA/NJEOSHA) COAT: D27 Gold Advance Outer Shell, Drag/Rescue Device 78 Aralite SL2 Thermal Liner G Black Crosstech Moisture Barrier FDNY Style 3" Scotchlite Triple Trim (R/O or L/Y) Zipper- In/ Velcro-Out Closure Radio Pocket (Advise Size and Location) Self - MIC Strap (Above Radio Pocket) D Ring on Suede Patch(Advise Location) Flashlight Snap and Strap (Advise Location) Gray Suede Reinforced Cuffs 4" Nomex Wrist Guards Embroidered American Flag (Advise Location) 3" Scotchlite Lettering (R/O or LIY) UNION BEACH First Aid 22 860.55 18,932.10 Total New Jersey Fire Equipment = \$46,490.40 V.E. Ralph & Sons, Inc. = \$62,551.03 *Powerflexx cot w/comp. ics system - Rescue & Telescoping lift handles foot end. \$19,320.00 * Pelican 9410 LED Lantern; M size Steel 02 Cylinder; H size Steel 02 Cylinder; LCSU4 800 ML suction unit = \$2,318.00 * Medical supplies required in 3 ambulances. (Detailed list attached) - \$40,913.03 Note: Applicant moved their 3 ambulances to what was through at the time to higher ground to protect them; however the resulting storm surge totally destroyed the ambulances and all supplies in each of the 3 ambulances.

Does the Scope of Work change the pre-disaster conditions at the site? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Special Considerations included? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Hazard Mitigation proposal included? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Is there insurance coverage on this facility? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
PROJECT COST					
ITEM	CODE	NARRATIVE	QUANTITY/UNIT	UNIT PRICE	COST
1	0000	Work Completed	0/LS	\$ 0.00	\$ 0.00
2	9001	Contract	1/LS	\$ 5,275.00	\$ 5,275.00
3	9009	Material	1/LS	\$ 33,839.54	\$ 33,839.54
4	0000	Work to be Completed	0/LS	\$ 0.00	\$ 0.00
5	9000	CEF Cost Estimate (See Attached Spreadsheet)	1/LS	\$ 109,041.07	\$ 109,041.07
6	9903	No Direct Administrative Costs	1/LS	\$ 0.00	\$ 0.00
7	0000	Insurance Adjustments	0/LS	\$ 0.00	\$ 0.00
8	5902	Mandatory NFIP Reduction - Maximum Proceeds Available - Building	1/LS	\$ -9,331.98	\$ -9,331.98
9	5902	Mandatory NFIP Reduction - Maximum Proceeds Available - Contents	1/LS	\$ -41,143.74	\$ -41,143.74
10	5901	Deduct Anticipated Insurance Proceeds - Ambulance	1/LS	\$ -67,162.41	\$ -67,162.41
				TOTAL COST	\$ 30,517.48
PREPARED BY KEN GROOVEY		TITLE PROJECT SPECIALIST		SIGNATURE	
APPLICANT REP. Carlos Rodriguez		TITLE Chief		SIGNATURE	

UNION BEACH FIRST AID : PA-02-NJ-4086-PW-03666
Conditions Information

Review Name	Condition Type	Condition Name	Description	Monitored	Status
EHP Review	Other (EHP)	Standard Condition #1	Any change to the approved scope of work will require re-evaluation for compliance with NEPA and other Laws and Executive Orders.	No	Recommended
EHP Review	Other (EHP)	Standard Condition #2	This review does not address all federal, state and local requirements. Acceptance of federal funding requires recipient to comply with all federal, state and local laws. Failure to obtain all appropriate federal, state and local environmental permits and clearances may jeopardize federal funding.	No	Recommended
EHP Review	Other (EHP)	Standard Condition #3	If ground disturbing activities occur during construction, applicant will monitor ground disturbance and if any potential archeological resources are discovered, will immediately cease construction in that area and notify the State and FEMA.	No	Recommended
Insurance Review	Conditions (Grant Specific)	Flood Insurance	The facility address shown on this project worksheet is located in a Special Flood Hazard Area (SFHA) as reflected in the Floodplain review section. Pursuant to section 406(d) of the Stafford Act, FEMA must reduce Federal disaster assistance by the maximum insurance proceeds which would have been received had the buildings and contents been fully covered by a Standard Flood Insurance Policy. The required reduction on this project worksheet as shown as cost code 5902 (Mandatory NFIP Reduction) is based on the costs that NFIP would have paid for building and/or contents coverage, subject to the \$500,000 maximum limit. Insurance approval of this project worksheet is contingent upon the applicant complying with Title 44 of the Code of Federal Regulations (CFR), Parts 206.252 and 206.253 which states, assistance under section 406 of the Stafford Act will be approved only on the	Yes	Recommended

		condition that insurance is obtained and maintained in such types and amounts as are reasonable and necessary to protect against future loss.	
--	--	---	--

Internal Comments				
No.	Queue	User	Date/Time	Reviewer Comments
6	Grantee Review	TONG PETER	06-15-2013 07:23 PM GMT	Recommend this PW eligible based on reviews of damage description, scope, and calculations in the PW, and the associated attachments, including Contract, Material, and Contents Summary Records.
5	EHP Review	AUDIN MICHAEL	06-14-2013 09:40 PM GMT	<p>Union Beach First Aid, Monmouth County, 310 Park Ave, Union Beach, NJ (40.44363, -74.17436), Cat E: Public Buildings, \$148,155.61, 27.0 % Complete. The applicant used volunteer, FA labor and contract services to repair damaged building elements inclusive of: drywall, flooring, light fixtures, bathroom, kitchen, and utility room. Applicant contracted with Coastal Air Conditioning to replace damaged boiler. Applicant will use a contractor to replace ambulance medical supplies and turnout gear. This PW has been reviewed for the total cost before a \$ -117,638.13 insurance adjustment, after the adjustment the total cost is \$30,517.48. - zshaheen - 06/13/2013 19:29:23 GMT</p> <p>Proposed activity is deemed consistent in accordance with paragraph 9 of the agreement between FEMA and NJDEP described in a letter dated February 10, 2012. - zshaheen - 06/13/2013 19:03:42 GMT</p> <p>Per NWI and NJDEP no wetlands are within the project area. - zshaheen - 06/13/2013 19:20:57 GMT</p> <p>The US Fish & Wildlife Service List of Federally Listed and Candidate Species Occurrences in New Jersey by County and Municipality dated January, 2013 and available at http://www.fws.gov/northeast/njfieldoffice/pdf/munlist.pdf indicates occurrences of the following species, Piping Plover and Seabeach Amaranth, within Union Beach, Monmouth County. Based on the project location, First Aid Building, and the proposed scope of work, replace building elements, contents, and boiler to restore facility to predisaster condition, FEMA finds there will be no effect to species or designated critical habitat. - zshaheen - 06/13/2013 18:54:44 GMT</p> <p>Project is located in Zone AE, FIRM panel 34025C0033F dated 09/25/2009. Project has limited to no potential to impact the floodplain function or resources and substantially restores site to pre-disaster condition. Reference FEMA EHP 4086-DR- NJ E-Disaster Notebook Procedures for EO 11988 reviews. - zshaheen - 06/13/2013 19:18:23 GMT</p> <p>Proposed activity complies with Tier II programmatic allowances III A-1 and B-1 identified in the May 2, 2013 signed Programmatic Agreement. For contents, no consultation under Section 106 of the National Historic Preservation Act is required per 36 CFR 800.3(a)(1). - dowens13 - 06/14/2013 19:56:44 GMT</p> <p>(verified by S Haas.) - dowens13 - 06/14/2013 19:56:59 GMT</p>
				06/12/2013 - J Mochel, Insurance Specialist. Applicant is a member of Monmouth Municipal JIF which is part of Municipal Excess Liability JIF (MELJIF). MELJIF purchases insurance from Zurich Insurance. Facility is located in a SFHA (see

4	Insurance Review	MOCHEL JAMES	06-12-2013 03:24 PM GMT	attached FIRMette). Facilities in a SFHA are subject to a \$500,000 deductible each for buildings and contents. A mandatory reduction has been made for the maximum amount available under a NFIP policy per 44 CFR 202.252(a). The damage to the ambulance and it's contents is covered by the JIF, subject to a \$2,500 deductible. The deductible was applied to other projects. Anticipated insurance proceeds have been deducted.
3	Mitigation Review	MALONE JACK	06-11-2013 09:25 PM GMT	6/11/13 As per Scope Notes on the scanned signed 90-91 attachment, the applicant has DECLINED 406 mitigation for the damages addressed on this project. The specific measures the applicant declined are not identified. J.Malone/406
2	Cost Estimate Format Review	LANGENDORF ALAN	06-04-2013 06:01 PM GMT	06/04/13 The applied CEF for this application covers the intended purpose. The factors applied are appropriate and reasonable for the defined scope of work. It is recommended that this project be forwarded as eligible. Alan Langendorf, CEF Specialist
1	Initial Review	CAROZZA DANIEL	06-04-2013 03:18 PM GMT	Initial review completed. Work appears eligible, no other issues identified. 6/4/2013 dcarozza

[Go Back](#)

PA-02-NJ-4086-PW-03749(0) <u>P</u>	
Applicant Name:	Application Title:
UNION HOSE FIRE COMPANY	UJ9AG01 Emergency Protective Measures
Period of Performance Start:	Period of Performance End:
10-30-2012	04-30-2013

Subgrant Application - Entire Application

Application Title: UJ9AG01 Emergency Protective Measures

Application Number: PA-02-NJ-4086-PW-03749(0)

Application Type: Subgrant Application (PW)

Preparer Information

Prefix	
First Name	PETER
Middle Initial	
Last Name	SHAFFER
Title	Project Specialist
Agency/Organization Name	DHS/FEMA
Address 1	PO Box 7068
Address 2	River Road
City	West Trenton
State	NJ
Zip	08628
Email	lpppau@gw.njsp.org

Is the application preparer the Point of Contact? No

Point of Contact Information

Prefix	
First Name	AI
Middle Initial	
Last Name	Lewandowski
Title	Chief
Agency/Organization	Union Hose Company
Address 1	1224 Florence Ave
Address 2	
City	1224 Florence Ave
State	NJ

ZIP 07735
Phone 732-710-5770
Fax
Email uhfc33@aol.com

Alternate Point of Contact Information

Prefix
First Name Chris
Middle Initial
Last Name Tuberion
Title Captain
Agency/Organization Union Hose Company
Address 1 1224 Florence Ave
Address 2
City 1224 Florence Ave
State NJ
ZIP 07735
Phone 732-757-7342
Fax
Email cat6527@aol.com

Project Description

Disaster Number: 4086
Pre-Application Number: PA-02-NJ-4086-RPA-1369
Applicant ID: 025-UJ9AG-00
Applicant Name: UNION HOSE FIRE COMPANY
Subdivision:
Project Number: UJ9AG01
Standard Project Number/Title: 299 - Emergency Protective Measures
Please Indicate the Project Type: Neither Alternate nor Improved
Application Title: UJ9AG01 Emergency Protective Measures
Category: B.PROTECTIVE MEASURES
Percentage Work Completed? 100.0 %
As of Date: 04-10-2013
Comments

Attachments

Damage Facilities (Part 1 of 2)

Facility Number	Facility Name	Address	County	City	State	ZIP	Site Previously Damaged?	Action
--------------------	---------------	---------	--------	------	-------	-----	--------------------------------	--------

1 Union Hose Fire Company 1224 Florence Ave Monmouth Union Beach NJ 07735 No

Comments

All Facilities are covered by the boroughs JIF Policy. On file with the FEMA insurance department

Attachments

User	Date	Document Type	Description	Hard Copy File Reference	File Name	Action
PETER SHAFFER	04-10-2013	Map	Location Map	Location Map	Union Hose Fire Co Location Map.jpg(309.77 kb)	View
PETER SHAFFER	04-10-2013	Floodplain	ABFE Flood Map	ABFE Flood Map	ABFE Union Hose.pdf(3.10 Mb)	View
PETER SHAFFER	04-10-2013	Force Account	Fire Department summary of hours	Fire Department summary of hours	Fire Department Summary of Hours.pdf(1.18 Mb)	View
PETER SHAFFER	04-10-2013	Force Account	Equipment List	Equipment List	Equipment List.pdf(165.81 kb)	View
PETER SHAFFER	04-11-2013	Force Account	Summary of equipment used	Summary of equipment used	Summary of labor and equipment CAT B.xlsx(15.10 kb)	View
PETER SHAFFER	04-29-2013	Project Worksheet	Signed 90-91	Signed 90-91	Copy of signed Cat B 90-91.pdf (104.68 kb)	View

Facility Name: Union Hose Fire Company
 Address 1: 1224 Florence Ave
 Address 2:
 County: Monmouth
 City: Union Beach
 State: NJ
 ZIP: 07735
 Was this site previously damaged? No
 PA-02-NJ-4086-PW-03749(0):
 1224 Florence Ave., Union Beach, NJ 07735
 Location:

Damage Description and

PA-02-NJ-4086-PW-03749(0):
 During the incident period of Oct 26, 2013 through Nov 08, 2013, Post-Tropical Cyclone Sandy with high winds and heavy precipitation resulted in; debris blocking the roadways, downed power lines, fires, localized flooding, reduced access to critical facilities, and power outages posed a

Dimensions:

serious threat to the public health and safety hazards for the residents of the Union Beach Borough in Monmouth County, New Jersey.

PA-02-NJ-4086-PW-03749(0):

WORK COMPLETED:

The Union Hose Fire Co. conducted(55)emergency responses with a fire engine and crew of(4)four fire fighters for a total of(98.6)hours of (ineligible)regular time and 1 piece of equipment for(24.6)hours for a total of \$1,968.00, during the incident period. The fire department performed search and rescue operations, suppress fires, evacuations, remove and /or move downed power lines, barricaded hazardous locations, clear roads of downed trees and provided emergency medical treatment.

Volunteer Labor: The applicant utilized (4) four volunteer Emergency Medical Personnel for a total of (98.6) hours of (ineligible) regular time.

Force Account Equipment: The applicant utilized (1) one piece of equipment for (24.6) hours for a total of \$ 1,968.00.

NOTES: see attachment "Labor and Equipment "for details.

Scope of Work:

RECORD RETENTION: Complete records and cost documents for all approved work must be maintained for at least 3 years from the date the last project was completed or from the date final payment was received, whichever is later. Applicant is responsible for retention of all documentation associated with this project.

SUPPORTING DOCUMENTATION: 20% or more of the documentation to support this project has been reviewed and verified by the Applicant and Project Specialist for eligibility and correctness.

PROCUREMENT: The applicant is required to adhere to State Government Procurement rules and regulations and maintain adequate records to support the basis for all purchasing of goods and materials and contracting services for projects approved under the Public Assistance program, as stated in 44 CFR 13.36. The applicant has advised they have/will follow their normal procurement procedures.

PERMITS: The PA Project Specialist has advised the Applicant that it is their responsibility to obtain all applicable local, state and federal permits prior to any construction or debris disposal activity referenced on this project. Applicant has also been advised that the lack of obtaining and maintaining these documents may jeopardize funding.

INSURANCE: The applicant is aware that all projects are subject to an insurance review as stated in 44 C.F.R. Sections 206.252 and 206.253.If applicable an insurance determination will be made either as anticipated proceeds or actual proceeds in accordance with the applicant's insurance policy that may affect the total amount of the project.

DIRECT ADMINISTRATIVE COSTS:

The subgrantee is not requesting Direct Administrative Costs (DAC) that are directly chargeable to this specific project.

HAZARD MITIGATION MEASURES: No mitigation opportunities are identified for this category.

Project Location	GIS Coordinates	
	Latitude	Longitude
1224 Florence Ave Union Beach, NJ 07735	40.445583	-74.179033

PNP Questions

Name of damaged facility: Union Hose Fire Co

Critical facility: Entire Facility is Critical

Facility Street Address: 1224 Florence Ave

City: Union Beach

State: NJ

ZIP: 07735

Was the facility in use during disaster? Yes

Was the facility damaged due to disaster? Yes

Are repairs the legal responsibility of the PNP? Yes

Please explain the primary purpose of damaged facility: The Fire Companies purpose is to provide fire, rescue and emergency medical services to the residents.

Please explain the type of assistance requested? Emergency response cost

Who may use the facility? General public

Contact First Name: Al

Contact Middle Initial:

Contact Last Name: Lewandowski

Contact Phone: 732-710-5770

Is there a fee charged for use of the facility: No

If Yes, what is the cost?

Do you own the facility? Yes

If Yes, do you have proof of ownership attached? No

Do you lease the facility? No

If Yes, do you have the lease agreement attached?

Do you rent the facility? No

If Yes, do you have the rental agreement attached?

Is the facility insured? Yes

If Yes, is the insurance policy attached? Yes

Comments

All Facilities are covered by the boroughs JIF Policy. On file with the FEMA insurance department

Attachments

User	Date	Document Type	Description	Hard Copy File Reference	File Name	Action
PETER SHAFFER	04-10-2013	Map	Location Map	Location Map	Union Hose Fire Co Location Map.jpg(309.77 kb)	View
PETER SHAFFER	04-10-2013	Floodplain	ABFE Flood Map	ABFE Flood Map	ABFE Union Hose.pdf(3.10 Mb)	View

PETER SHAFFER	04-10-2013	Force Account	Fire Department summary of hours	Fire Department summary of hours	Fire Department Summary of Hours.pdf(1.18 Mb)	View
PETER SHAFFER	04-10-2013	Force Account	Equipment List	Equipment List	Equipment List.pdf(165.81 kb)	View
PETER SHAFFER	04-11-2013	Force Account	Summary of equipment used	Summary of equipment used	Summary of labor and equipment CAT B.xlsx(15.10 kb)	View
PETER SHAFFER	04-29-2013	Project Worksheet	Signed 90-91	Signed 90-91	Copy of signed Cat B 90-91.pdf (104.68 kb)	View

Special Considerations

1. Does the damaged facility or item of work have insurance coverage and/or is it an insurable risk (e.g., buildings, equipment, vehicles, etc)? No

If you would like to make any comments, please enter them below.

(maximum 4000 characters)

Emergency protective items are not insurable risk

2. Is the damaged facility located within a floodplain or coastal high hazard area and/or does it have an impact on a floodplain or wetland? Yes

If you would like to make any comments, please enter them below.

(maximum 4000 characters)

ABFE shows Union Hose Co is located in ZONE A. See Map ID "Keyport NE"

3. Is the damaged facility or item of work located within or adjacent to a Coastal Barrier Resource System Unit or an Otherwise Protected Area? No
4. Will the proposed facility repairs/reconstruction change the pre-disaster conditions (e.g., footprint, material, location, capacity, use of function)? No
5. Does the applicant have a hazard mitigation proposal or would the applicant like technical assistance for a hazard mitigation proposal? No

If you would like to make any comments, please enter them below.

(maximum 4000 characters)

No Hazard opportunities exist for emergency protective responses.

6. Is the damaged facility on the National Register of Historic Places or the state historic listing? Is it older than 50 years? Are there more, similar buildings near the site? No
7. Are there any pristine or undisturbed areas on, or near, the project site? Are there large tracts of forestland? No
8. Are there any hazardous materials at or adjacent to the damaged facility and/or item of work? No
9. Are there any other environmental or controversial issues associated with the damaged facility and/or item of work? No
10. Is the damaged facility or item of work located within two-hundred feet of a body of water? No

Attachments

Mitigation section is not applicable for your project category.

Cost Estimate

Is this Project Worksheet for
(Preferred) Repair

Sequence	Code	Material and/or Description	Unit Quantity	Unit of Measure	Unit Price	Subgrant Budget Class	Cost Estimate	Action
1	<u>0000</u>	Work Completed						
2	<u>8691</u>	Truck, Fire; Pump Capacity: 1250 gpm - 2010	24.6	HR	\$ 80.00	EQUIPMENT	\$ 1,968.00	
3	<u>9903</u>	No Direct Administrative Costs	1	LS	\$ 0.00	OTHER	\$ 0.00	
Total Cost: \$ 1,968.00								

Insurance Adjustments (Deductibles, Proceeds and Settlements)

Sequence	Code	Material and/or Description	Unit Quantity	Unit of Measure	Unit Price	Subgrant Budget Class	Cost Estimate	Action
Total Cost: \$ 0.00								

Total Cost Estimate: \$ 1,968.00

(Preferred Estimate Type + Insurance Adjustments) Awarded cost line items: \$ 1,968.00
Remaining cost line items: \$ 0.00

Comments

Attachments

Existing Insurance Information						
Insurance Type	Policy No.	Bldg/Property Amount	Content Amount	Insurance Amount	Deductible Amount	Years Required

Comments

See JIF Policy for Union Beach Borough

Attachments

Comments and Attachments		
Name of Section	Comment	Attachment
Damage Facilities	All Facilities are covered by the boroughs JIF Policy. On file with the FEMA insurance department	Union Hose Fire Co Location Map.jpg ABFE Union Hose.pdf Fire Department Summary of Hours.pdf Equipment List.pdf Summary of labor and equipment CAT B.xlsx Copy of signed Cat B 90-91.pdf

Insurance Information See JIF Policy for Union Beach Borough

Bundle Reference # (Amendment #)	Date Awarded
PA-02-NJ-4086-State-0049(48)	06-14-2013

Subgrant Application - FEMA Form 90-91

Note: The Effective Cost Share for this application is 75%

FEDERAL EMERGENCY MANAGEMENT AGENCY PROJECT WORKSHEET					
DISASTER		PROJECT NO.	PA ID NO.	DATE	CATEGORY
FEMA	4086 - DR - NJ	UJ9AG01	025-UJ9AG-00	06-03-2013	B
APPLICANT: UNION HOSE FIRE COMPANY			WORK COMPLETE AS OF: 04-10-2013 : 100 %		
Site 1 of 1					
DAMAGED FACILITY:			COUNTY: Monmouth		
Union Hose Fire Company					
LOCATION:			LATITUDE:	LONGITUDE:	
PA-02-NJ-4086-PW-03749(0): 1224 Florence Ave., Union Beach, NJ 07735			40.445583	-74.179033	
DAMAGE DESCRIPTION AND DIMENSIONS:					
PA-02-NJ-4086-PW-03749(0): During the incident period of Oct 26, 2013 through Nov 08, 2013, Post-Tropical Cyclone Sandy with high winds and heavy precipitation resulted in; debris blocking the roadways, downed power lines, fires, localized flooding, reduced access to critical facilities, and power outages posed a serious threat to the public health and safety hazards for the residents of the Union Beach Borough in Monmouth County, New Jersey.					
SCOPE OF WORK:					
PA-02-NJ-4086-PW-03749(0): WORK COMPLETED: The Union Hose Fire Co. conducted(55)emergency responses with a fire engine and crew of(4)four fire fighters for a total of(98.6)hours of(ineligible)regular time and 1 piece of equipment for(24.6)hours for a total of \$1,968.00, during the incident period. The fire department performed search and rescue operations, suppress fires, evacuations, remove and /or move downed power lines, barricaded hazardous locations, clear roads of downed trees and provided emergency medical treatment. Volunteer Labor: The applicant utilized (4) four volunteer Emergency Medical Personnel for a total of (98.6) hours of (ineligible) regular time. Force Account Equipment: The applicant utilized (1) one piece of equipment for (24.6) hours for a total of \$ 1,968.00. NOTES: see attachment "Labor and Equipment "for details. RECORD RETENTION: Complete records and cost documents for all approved work must be maintained for at least 3 years from the date the last project was completed or from the date final payment was received, whichever is later. Applicant is responsible for retention of all documentation associated with this project. SUPPORTING DOCUMENTATION: 20% or more of the documentation to support this project has been reviewed and verified by the Applicant and Project Specialist for eligibility and correctness. PROCUREMENT: The applicant is required to adhere to State Government Procurement rules and regulations and maintain adequate records to support the basis for all purchasing of goods and materials and contracting services for projects approved under the Public Assistance program, as stated in 44 CFR 13.36. The applicant has advised they have/will follow their normal procurement procedures. PERMITS: The PA Project Specialist has advised the Applicant that it is their responsibility to obtain all applicable local, state and federal permits prior to any construction or debris disposal activity referenced on this project. Applicant has also been advised that the lack of obtaining and maintaining these documents may jeopardize funding. INSURANCE: The applicant is aware that all projects are subject to an insurance review as stated in 44 C.F.R. Sections 206.252 and 206.253.If applicable an insurance determination will be made either as anticipated proceeds or actual proceeds in accordance with the applicant's insurance policy that may affect the total amount of the project. DIRECT ADMINISTRATIVE COSTS: The subgrantee is not requesting Direct Administrative Costs (DAC) that are directly chargeable to this specific project. HAZARD MITIGATION MEASURES: No mitigation opportunities are identified for this category.					
Does the Scope of Work change the pre-					

disaster conditions at the site? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Special Considerations included? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Hazard Mitigation proposal included? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Is there insurance coverage on this facility? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
PROJECT COST					
ITEM	CODE	NARRATIVE	QUANTITY/UNIT	UNIT PRICE	COST
1	0000	Work Completed	0/LS	\$ 0.00	\$ 0.00
2	8691	Truck, Fire; Pump Capacity: 1250 gpm - 2010	24.6/HR	\$ 80.00	\$ 1,968.00
3	9903	No Direct Administrative Costs	1/LS	\$ 0.00	\$ 0.00
				TOTAL COST	\$ 1,968.00
PREPARED BY PETER SHAFFER		TITLE Project Specialist		SIGNATURE	
APPLICANT REP. Al Lewandowski		TITLE Chief		SIGNATURE	

UNION HOSE FIRE COMPANY : PA-02-NJ-4086-PW-03749					
Conditions Information					
Review Name	Condition Type	Condition Name	Description	Monitored	Status
No Conditions					

Internal Comments				
No.	Queue	User	Date/Time	Reviewer Comments
6	Award Review	SYSTEM	06-14-2013 01:48 PM GMT	ACCEPTED
5	Award Review	BRAND GARY	06-14-2013 12:55 PM GMT	bundle is found to be reasonable and accurate
4	Final Review	JOHNSTON DEBRA	06-06-2013 08:35 PM GMT	6/6/2013 – There were no issues identified, the work is recommended as eligible. DAJ/QAQC
3	Grantee Review	TONG PETER	06-06-2013 07:07 PM GMT	Recommend this PW eligible based on reviews of scope and attachments.
2	Final Review	JOHNSTON DEBRA	06-04-2013 08:20 PM GMT	6/4/13 - Rework to Grantee review. DAJ/QAQC
1	Initial Review	NEWHARD RICHARD	06-04-2013 12:38 PM GMT	6/4/2013 Initial review completed. No issues found. Work appears eligible. R. Newhard

[Go Back](#)

